

The following information comes from this web-site:


http://en.wikipedia.org/wiki/Candidiasis



From Wikipedia, the free encyclopedia Jump to: navigation, search

Candidiasis

Classification and external resources



Agar plate culture of Candida albicans

<u>ICD-10</u> B37.

<u>ICD-9</u> <u>112</u>

DiseasesDB 1929

MedlinePlus 001511

eMedicine med/264 emerg/76 ped/312 derm/67

<u>MeSH</u> <u>D002177</u>

Candidiasis or thrush is a <u>fungal infection</u> (mycosis) of any of the <u>Candida</u> species (all yeasts), of <u>which Candida albicans</u> is the most common. Also commonly referred to as a yeast infection, candidiasis is also technically known as candidosis, moniliasis, and oidlomycosis. [3]:308

Candidiasis encompasses infections that range from <u>superficial</u>, such as <u>oral thrush</u> and <u>vaginitis</u>, to <u>systemic</u> and potentially life-threatening diseases. *Candida* infections of the latter category are also referred to as <u>candidemia</u> and are usually confined to severely <u>immunocompromised</u> persons, such as <u>cancer</u>, <u>transplant</u>, and <u>AIDS</u> patients as well as non-trauma emergency surgery patients. [4]

Superficial infections of skin and <u>mucosal</u> membranes by *Candida* causing local <u>inflammation</u> and <u>discomfort</u> are common in many human populations. ^{[2][5][6]} While clearly attributable to the presence of the <u>opportunistic pathogens</u> of the genus *Candida*, candidiasis describes a number of different disease syndromes that often differ in their causes and outcomes. ^{[2][5]}

Contents

[hide]

- 1 Classification
- 2 Signs and symptoms
- 3 Causes
- 4 Diagnosis
- 5 Treatment
- 6 History
- 7 Society and culture
- 8 References
- 9 External links

[edit] Classification

Candidiasis may be divided into the following types: 131:308-311

- Oral candidiasis (Thrush)
- Perlèche (Angular cheilitis)
- Candidal vulvovaginitis (vaginal yeast infection)
- Candidal intertrigo
- Diaper candidiasis
- Congenital cutaneous candidiasis
- Perianal candidiasis
- Candidal paronychia
- Erosio interdigitalis blastomycetica
- Chronic mucocutaneous candidiasis


The following information comes from this web-site:

http://en.wikipedia.org/wiki/Nystatin



From Wikipedia, the free encyclopedia Jump to: <u>navigation</u>, <u>search</u>

Nystatin



Systematic (IUPAC) name

(1*S*,3*R*,4*R*,7*R*,9*R*,11*R*,15*S*,16*R*,17*R*,18*S*,19*E*,21*E*, 25*E*,27*E*,29*E*,31*E*,33*R*,35*S*,36*R*,37*S*)-33-[(3-amino-3,

6-dideoxy-β-L-mannopyranosyl)oxy]-1, 3,4,7,9,11,17,37-octahydroxy-15, 16,18-trimethyl-13-oxo-14, 39-dioxabicyclo[33.3.1]nonatriaconta-19, 21,25,27,29,31-hexaene-36-carboxylic acid

Clinical data

Pregnancy cat.	?
Legal status	?
Routes	topical & oral (but not absorbed)

Pharmacokinetic data

Bioavailability	0% on oral ingestion
Metabolism	?
<u>Half-life</u>	?

From Wikipedia - Nystatin

Excretion

Identifiers

CAS number 1400-61-9

ATC code A07AA02 D01AA01 G01AA01

PubChem CID 14960

DrugBank APRD01146

ChemSpider 10468627

UNII BDF101C72E *

<u>KEGG</u> <u>D00202</u>*

ChEMBL CHEMBL229383 *

Chemical data

Formula $C_{47}H_{75}NO_{17}$

Mol. mass 926.09

SMILES eMolecules & PubChem

InChI[show]

(what is this?) (verify)

Nystatin is a polyene antifungal drug to which many molds and yeast infections are sensitive, including <u>Candida</u>. Due to its <u>toxicity</u> profile, there are currently no injectable formulations of this drug on the US market. However, nystatin may be safely given orally as well as applied topically due to its minimal <u>absorption</u> through <u>mucocutaneous</u> membranes such as the gut and the skin. [2][3]

Contents

[hide]

- 1 Uses
- 2 Mechanism of action
- 3 Origin
- 4 Brand names

7/15/11 MANY V WANE



General Instructions with ExitWriter

Highline Medical Center - Specialty Campus
Emergency Department

12844 Military Road S, Tukwila, WA 98168 206-248-4739

07/14/2011 10:05

Patient: LAHAM, ELANA

(Discharge Thrake norse

Thank you for visiting the Highline Medical Center—Specialty Campus-Emergency Department. You have been evaluated today by CHOCK, ALAN, MD for the following condition(s):

Skin rash undetermined cause.

INSTRUCTIONS

(Rash Instructions).

Warnings: GENERAL WARNINGS: Return or contact your physician immediately if your condition worsens or changes unexpectedly, if not improving as expected, or if other problems arise. Specifically return if fever greater than 102 degrees F. worsening of rash, symptoms or condition.

Prescription Medications:

Nystatin Topical Cream: apply to affected areas twice daily as needed for rash. Dispense sixty (60) grams. One refill;

Follow-up:

Follow up with your doctor (Dermatology referrals) as scheduled 8/8/11 for specialty evaluation, continuing follow-up care and treatment.

Understanding of the discharge instructions verbalized by patient. Discharge instructions reviewed with and understanding was verbalized by patient.

ADDITIONAL INFORMATION

DERMATITIS [Non-specific]

Dermatitis is an inflammation of the skin. The exact cause of your rash is not certain. However, this rash does not appear to be an infection or contagious illness.

HOME CARE:

- 1) Keep the areas of rash clean by washing it daily. This also helps to keep the skin moist.
- 2) Use a neutral pH soap such as Dove or Lever 2000.
- 3) Apply a moisturizing lotion after bathing to prevent dry skin. Products that contain Lanolin or Aloe Vera are fine.

Transmission Log

The Boeing Company

Saturday, 2011-08-13 16:21

4252373769

Date	Time	Type	Job #	Length	Speed	Station Name/Number	Pgs	Status
2011-08-13	16:19	SCAN	00032	1:59	14400	82062467490	2	OK V.17 BM31

Highline Medical Center - Specialty Campus
Emergency Department
ER Phone
12844 Military Road S, Tukwila, WA 98168 206-248-4739
246-74490
07/14/2011 10:05 206-244-0180

Patient: LAHAM, ELANA

Desk Phone

Nystatin Topical Cream: apply to affected areas twice daily as needed for rash. Dispense sixty (60) grams.

CHÓCK, ALAN, MD

Government issued identification required for all controlled substances. Call Highline Emergency Department (206) 431-5316 if patient has frequent controlled substance presents.

8/13/11

To Doctor Alan CHOCK,

Thank you for prescribing the Mystatin that I requested that you do. And for the three refills that you thought to do on your own.

I no longer HAVE the Candidas
that I told you that I thought
that I had.

Sincerely Yours, ELANA LAHAM

HIGHLINE MEDICAL CENTER



PRODUCT INFORMATION:

DRUG: NYSTATIN 190,000 UNIT/GM CREAM

GENERIC NAME (NYSTATIN -)TOPICAL - Information last revised May 2010 Copyright(c) 2010 First

DataBank, Inc. 51672-1289-02 Color: yellow

USES: Nystatin is used to treat fungal skin infections. Nystatin is an antifungal that works by stopping the growth of fungus.

HOW TO USE: Use this medication on the skin only. Clean and thoroughly dry the area to be treated. Apply this medication to the affected skin, usually twice a day or as directed by your doctor. Dosage and length of treatment depends on the type of infection being treated. Do not apply this more often than prescribed. Apply enough medication to cover the affected area and some of the surrounding skin. After applying this medication, wash your hands unless you are using this medication to treat the hands. Do not wrap, cover or bandage the area unless directed to do so by your doctor. If used in the diaper area on an infant, do not use tight-fitting diapers or plastic pants. Do not apply this medication in the eyes, nose, mouth, or vagina. Use this medication regularly in order to get the most benefit from it. Remember to use it at the same times each day. Continue to use this medication until the full prescribed amount is finished, even if symptoms disappear after starting nystatin. Stopping the medication too early may allow the fungus to continue to grow, which may result in a return of the infection. Inform your doctor if your condition persists after 2 weeks of treatment or worsens at any time.

SIDE EFFECTS: Skin irritation or redness may occur. If either of these effects persist or worsen, notify your doctor or pharmacist promptly. Remember that your doctor has prescribed this medication because he or she has judged that the benefit to you is greater than the risk of side effects. Many people using this medication do not have serious side effects. A very serious allergic reaction to this drug is unlikely, but seek immediate medical attention if it occurs. Symptoms of a serious allergic reaction may include: rash, itching/swelling (especially of the face/tongue/throat), severe dizziness, trouble breathing. This is not a complete list of possible side effects. If you notice other effects not listed above, contact your doctor or pharmacist.



Form Version: 6.20.01

Do not flush unused medications or pour down a sink or drain.

IMPORTANT: HOW TO USE THIS INFORMATION: This is a summary and does NOT have all possible information about this product. This information does not assure that this product is safe, effective, or appropriate for you. This information is not individual medical advice and does not substitute for the advice of your health care professional. Always ask your health care professional for complete information about this product and your specific health needs.

Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088



300 East Randolph Chicago, Illinois 60601-5099



Explanation of Benefits (EOB). This is not a bill. **BOEING TRADITIONAL MEDICAL PLAN** 07-27-11

MICHAEL S LAHAM

PO BOX 66

RENTON WA 98057-0066

Customer Service: 1-888-802-8776

THE IMPORTANT UPDATE SECTION IS NOT APPLICABLE TO ALL POLICIES OR PLANS

Claim Information

Member Name:

MICHAEL S LAHAM

Group No.:

7SPE00

Identification No.: Claim No.:

BHP831604964

Patient Name:

1207551859N0H ELANA LAHAM

Total Billed:

SUMMARY

\$500.10 \$300.07

Total Benefits Approved: Amount You May Owe Provider:

\$50.00

SERVICE INFORMATION

	Service Date	Amount Billed	Not Covered	Covered
HIGHLINE MEDICAL C				
Emer Room Services	07-14-11	500.10	150.03 (1)	350.07
				The state of the s
Totals		\$500.10	\$150.03	\$350.07

COVERAGE INFORMATION

Totals	\$500:10 \$150.03 \$350.07
Deductions	j= mucij,
Your Emergency Copayment Amount	\$50.00) it is 2122 \$50.06 7/14/11
Total Deductions	-\$50.00
Total Benefits Approved	\$300.07
Amount You May Owe Provider	\$50.00
Total covered benefits approved for this claim: \$300.07 to H	IGHLINE MEDICAL C on 07-27-11.

Information About Amounts Not Covered

7/14/11 10	3043	Elava Laham	SIF	104409124			50	P
DATE	RECEIPT NUMBER	PATIENT NAME	PAID BY (OTHER THAN PATIENT)	PATIENT NUMBER	CODE	CASH AMOUNT	CHECK AMOUNT	

CHK #2122

RECEIPT NO.

63043

16251 Sylvester Rd., S.W./Burien, Washington 98166/Phone: (206) 244-9970

Thank You